



Lenovo Yoga 2 13" Screen Replacement

How to remove the screen of the Lenovo Yoga 2 13" laptop.

Written By: Nichelle



INTRODUCTION


This guide will explain how to safely remove the screen from your Lenovo Yoga 2 13". It will provide a list of the tools needed as well as the easiest way to remove the screen without damaging it.



TOOLS:

- [Jimmy](#) (1)
 - [Flathead 3/32" or 2.5 mm Screwdriver](#) (1)
 - [Small Phillips Screwdriver](#) (1)
 - [iFixit Opening Picks set of 6](#) (1)
-

Step 1 — Screen



- Using an opening pick, remove one small black rectangle piece on two corners to locate screws.
- Carefully remove one 4.762 mm screw from each corner using a Phillips head screwdriver.

Step 2




- Remove the long centerpiece covering between the hinges.

Step 3



- Detach the screen from the front panel, by sliding the screen up about 2mm. Do not pull too far, as there are still connected wires.

Step 4



- Locate the gold wire and follow it to two clips. Remove the clips and the clear tape securing the wire.
- Gently unsnap the wire from the hooks along the perimeter, also removing any tape along the wire.

Step 5



- Completely separate the screen from the laptop.
- ☑ During reassembly remember to set the screen about 2 mm beyond the lid top edge then slide down to engage the tanges.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-20 08:32:52 AM.